

PTF List

809 W Howe St · Seattle WA 98119 · USA · support@gumbo.com · Gumbo.com

| Product ID : | 2A55SM2 Gumbo Mail - Gumbo Software, Inc. | Page | 1 |
|--------------|---|------|---|
| Release : | V1R9M0 | | |
| As of : | 2022-06-03 | | |

| PTF ID | Description | Status mm/dd/yy | Superseded By |
|-------------|--|--------------------|------------------|
| 1S90ALL | Cumulative PTF Package Last Updated 2022/06/03 | | |
| 1S90001 | IFS Erroneous Glob Processing | 03/09/20 | 1S90004 |
| | o Glob (wildcard) processing was being too picky, | | |
| | only finding stream files in pure directories. | | |
| | Processing now correctly handles all Integrated | | |
| | File System objects including documents and | | |
| | folders. | | |
| | o Potential memory leak under error conditions | | |
| | removed from glob processing. | | |
| 1S90002 | SND Glob Memory & Descriptor Leaks | 03/09/20 | 1S90010 |
| | o Glob (wildcard) processing was leaking | | |
| | memory and file descriptors resulting CPE3452, | | |
| | Too many open files. | | |
| 1S90003 | IFS Glob Performamnce Improvement | 03/09/20 | 1S90004 |
| | o Glob (wildcard) processing is improved for | | |
| | non wildcard selection over directory with | | |
| 1 0 0 0 0 0 | many files. | 00/10/00 | |
| 1S90004 | IFS New Export Added | 03/10/20 | |
| | o New function to open (create) a file based on | | |
| | CCSID instead of CPGID added. This facilitates | | |
| 1 000005 | control over the created file's CCSID attribute | | 1 0 0 0 1 0 |
| 1S90005 | SND File Open Change | 03/09/20 | 1S90010 |
| 100000 | o Now uses IfsOpenCcsid(). | 02/10/00 | 1000010 |
| 1S90006 | SND Add CID Processing, Etc. | 03/10/20 | 1S90010 |
| | o SND Include object (INCOBJ) parameter has been enhanced to include a Content-ID element. With | | |
| | the addition "multipart/related" groups can be | | |
| | generated. | | |
| | generated. | | |
| | - Objects can be designated as part of a group | | |
| | of alternatives and/or can be assigned a | | |
| | Content-ID to designate it as a member of a | | |
| | group of related objects which allows reference | | |
| | reference between objects. There is interplay | | |
| | between alternative group and related group. | | |
| | The following rules are applied: | | |
| | o The MSG() parameter, if specified, has | | |
| | implied Content-ID of *NONE and an implied | | |
| | alternate group of *NONE. | | |
| | o Objects in each alternate group number are | | |
| | considered in turn with alternate group *NO | NE | |
| | treated as group 0. | | |
| | | | |

(continued)



PTF List

809 W Howe St · Seattle WA 98119 · USA · support@gumbo.com · Gumbo.com

| <pre>Product ID : 2A55SM2 Gumbo Mail - Gumbo Software, 3 Release : V1R9M0 As of : 2022-06-03</pre> | Inc. | Page 2 | |
|--|----------|-------------------------|--|
| PTF ID Description If a group contains more than one object and at least one object has a Content-ID specified, a related group is formed. The first object within the alternate group that does not have a a Content-ID specified is considered the root of and included in the related group. All other objects without a Content-ID are not included in the related group. If all objects in an alternate group have a Content-ID then the first object is considered the root of the related group. | đ | Superseded <u>By</u> | |
| o RFC-2231 implemented allowing non-ascii characters to appear in MIME field parameter values. 1S90007 SND Enhance INCOBJ() Parameter o SND Include object (INCOBJ) parameter has been enhanced to include a Content-ID element. With the addition "multipart/related" groups can be generated. | 03/10/20 | | |
| Objects can be designated as part of a group of alternatives and/or can be assigned a Content-ID to designate it as a member of a group of related objects which allows reference reference between objects. There is interplay between alternative group and related group. The following rules are applied: o The MSG() parameter, if specified, has implied Content-ID of *NONE and an implied alternate group of *NONE. o Objects in each alternate group number are considered in turn with alternate group *NOI treated as group 0. o If a group contains more than one object and at least one object has a Content-ID specified, a related group is formed. o The first object within the alternate group that does not have a a Content-ID specified is considered the root of and included in the related group. All other objects | NE | | |

(continued)



PTF List

809 W Howe St · Seattle WA 98119 · USA · support@gumbo.com · Gumbo.com

| Product ID : | 2A55SM2 Gumbo Mail - Gumbo Software, Inc. | Page | 3 |
|--------------|---|------|---|
| Release : | V1R9M0 | | |
| As of : | 2022-06-03 | | |

| PTF ID | Description | Status mm/dd/yy | Superseded By |
|---------|---|--------------------|------------------|
| | the related group. | | |
| | o If all objects in an alternate group have a | | |
| | Content-ID then the first object is | | |
| | considered the root of the related group. | | |
| | o RFC-2231 implemented allowing non-ascii | | |
| | characters to appear in MIME field parameter | | |
| | values. | | |
| 1S90008 | PID Add New Object Integrity Certificates | 03/09/20 | 1S90009 |
| | o Add newer object integrity certificates to | | |
| | product. Thess will be used to sign objects in | | |
| | the future. | | |
| 1590009 | PID Add New Object Integrity Certificates | 03/10/20 | |
| | o Add newer object integrity certificates to | | |
| | product. Thess will be used to sign objects in | | |
| | the future. | | |
| 1S90010 | SND *PAGDTA Processing Drops File | 03/10/20 | |
| | o Uninitialized variable caused missing attachmen | t | |
| | when *PAGDTA spooled file splitting was used. | | |
| | The error does not affect this product but is | | |
| | corrected. | | |
| | | | |

* * * * * End Of List * * * *